



IP20 CLASS I CE

GOLF 57 SQUARE LED

A decorative, square aluminium profile LED pendant that complements the linear Golf 57 LED luminaire range.


Available in multiple outputs for maximum design flexibility.

GOLF 57 SQUARE LED



FEATURES & BENEFITS

- > Multiple outputs and finishes for maximum design flexibility
- > Direct or direct/indirect distribution
- > Average 54,000hrs LED life - (L90/B10)
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance



PERFORMANCE


Light source	LED
Luminaire output	5600 - 9520lm (DIR) 6625 - 11200lm (DI-IN)
Luminaire efficiency	≥100lm/W
CRI	80

MATERIALS

Body	Extruded aluminium profile
Finish	Grey / White / Black
Diffuser	Opal polycarbonate TP(a)
Mounting	Surface or suspended

OPTIONS

- > 3hr emergency
- > Other sizes available: 1352 x 1352 / 1752 x 1752mm
- > Suspension kit



DIRECT

LAMP	COLOUR TEMP	DELIVERED LUMENS	STANDARD			DALI		
			GREY	WHITE	BLACK	GREY	WHITE	BLACK
56W	3000K	5600lm	64400101	64400201	64400301	64400103	64400203	64400303
56W	4000K	5712lm	64400401	64400501	64400601	64400403	64400503	64400603
72W	3000K	6980lm	64400701	64400801	64400901	64400703	64400803	64400903
72W	4000K	7140lm	64401001	64401101	64401201	64401003	64401103	64401203
88W	3000K	8192lm	64401301	64401401	64401501	64401303	64401403	64401503
88W	4000K	8376lm	64401601	64401701	64401801	64401603	64401703	64401803
100W	3000K	9320lm	64401901	64402001	64402101	64401903	64402003	64402103
100W	4000K	9520lm	64402201	64402301	64402401	64402203	64402303	64402403

GOLF 57 SQUARE LED

DIRECT/INDIRECT

LAMP	COLOUR TEMP	DELIVERED LUMENS	STANDARD			DALI		
			GREY	WHITE	BLACK	GREY	WHITE	BLACK
64W	3000K	6500lm	64407301	64407401	64407501	64407303	64407403	64407503
64W	4000K	6720lm	64407601	64407701	64407801	64407603	64407703	64407803
84W	3000K	8240lm	64407901	64408001	64408101	64407903	64408003	64408103
84W	4000K	8400lm	64408201	64408301	64408401	64408203	64408303	64408403
100W	3000K	9616lm	64408501	64408601	64408701	64408503	64408603	64408703
100W	4000K	9856lm	64408801	64408901	64409001	64408803	64408903	64409003
116W	3000K	11040lm	64409101	64409201	64409301	64409103	64409203	64409303
116W	4000K	11200lm	64409401	64409501	64409601	64409403	64409503	64409603



SNAKE LED

IP40

CLASS
I

C E

FEATURES & BENEFITS

- > Multiple outputs and finishes for design flexibility
- > Homogeneous light distribution - no spotting
- > Average rated LED life >52,000hrs (L90/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE



Light source	LED
Emission	Direct
Luminaire output	4662 - 7820lm
Luminaire efficiency	≥100lm/W
CRI	>83
Beam angle	Wide beam

MATERIALS

Body	Extruded aluminium profile
Finish	Grey / White / Black
Diffuser	Opal PMMA
Mounting	Suspension, 1.5m

OPTIONS

- > 3hr emergency
- > Other RAL finishes on request



LAMP	COLOUR TEMP	DELIVERED LUMENS	STANDARD			DALI		
			GREY	WHITE	BLACK	GREY	WHITE	BLACK
44W	3000K	4662lm	61000101	61000201	61000301	61000103	61000203	61000303
44W	4000K	4692lm	61000401	61000501	61000601	61000403	61000503	61000603
57W	3000K	5820lm	61000701	61000801	61000901	61000703	61000803	61000903
57W	4000K	5865lm	61001001	61001101	61001201	61001003	61001103	61001203
68W	3000K	6835lm	61001301	61001401	61001501	61001303	61001403	61001503
68W	4000K	6882lm	61001501	61001701	61001801	61001503	61001703	61001803
78W	3000K	7770lm	61001901	61002001	61002101	61001903	61002003	61002103
78W	4000K	7820lm	61002201	61002301	61002401	61002203	61002303	61002403

RING LED

IP20 CLASS I CE

FEATURES & BENEFITS

- > Available in multiple sizes for grouping
- > Homogeneous light distribution - no spotting
- > Average rated LED life: >50,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE





Light source	LED
LED output	2423 - 6543lm
Luminaire output	2295 - 6523lm
Luminaire efficiency	≥92lm/W
CRI	>80

MATERIALS

Body	Extruded aluminium profile
Finish	Grey / White / Black
Diffuser	Satin opal
Mounting	Suspension

OPTIONS

- > 3hr emergency
- > DALI
- > Other RAL finishes on request
- > Ø1200mm



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	GREY	WHITE	BLACK
24W	3000K	2295lm	Ø400 x 82	63600101	63600701	63601301
24W	4000K	2416lm	Ø400 x 82	63600201	63600801	63601401
41W	3000K	3824lm	Ø600 x 82	63600301	63600901	63601501
41W	4000K	4157lm	Ø600 x 82	63600401	63601001	63601601
65W	3000K	5980lm	Ø900 x 82	63600501	63601101	63601701
65W	4000K	6523lm	Ø900 x 82	63600601	63601201	63601801



IP20 CLASS I CE

POLO LED

A bespoke suspension mounted luminaire using high performance LEDs designed to meet a client's specific requirements in terms of colour, size and lumen output.

A stunning feature for any interior environment such as offices, restaurants, hotels, corridors, galleries etc.

POLO LED



FEATURES & BENEFITS

- > Lumen package and input power designed to meet the client's specific requirements
- > Various sizes available: 900mm, 1200mm or 1500mm
- > High quality branded LEDs providing a high lumen efficiency
- > Long LED life - maintenance free
- > Direct or direct and indirect illumination (approximately 10% up light)
- > Single bin 3-step MacAdam ellipse tolerance - optimum LED colour consistency
- > DALI compatible

PERFORMANCE


Light source	LED
Emission	Direct / Direct & Indirect
Luminaire output	Bespoke
CRI	>80
Colour temperature	3000K/4000K/6000K

MATERIALS

Body	Steel, finished in black or other RAL colour
Diffuser	Opal
Mounting	Cable suspension, supplied

OPTIONS

- > Any RAL colour on request
- > Various sizes: 900mm/1200mm/1500mm



Ø900/1200/1500mm



IP20 CLASS I CE

FOCUS PENDANT

An aesthetic family of high performance pendants with concise lines, multiple outputs, optics and anti-glare accessories.

FOCUS PENDANT

FEATURES & BENEFITS

- > Stunning black pearl reflector for aesthetic appeal
- > High visual comfort - exceptionally low glare
- > Cylindrical and cuboid versions available for design flexibility
- > Average rated LED life: >50,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance

PERFORMANCE



Light source	LED
Luminaire output	380 - 1707lm
CRI	90
Beam angle	15° / 24° / 38°
UGR	<19

MATERIALS

Body	Aluminium
Finish	Grey / White / Black
Reflector	Black pearl
Mounting	Suspended with ceiling rose

OPTIONS

- > Triac dimming
- > Other RAL colours available and 2700K
- > Champagne gold anti-glare reflector
- > Honeycomb, linear spread lens and spread lens accessories
- > Complementary wall luminaires, surface and recessed downlights and track luminaires



FOCUS PENDANT

CYLINDRICAL PENDANT

LAMP	COLOUR TEMP	DELIVERED LUMENS	BEAM	DIMENSIONS	GREY	WHITE	BLACK
7W	3000K	380lm	15°	Ø53 x 140	65300101	65303701	65307301
7W	4000K	412lm	15°	Ø53 x 140	65300201	65303801	65307401
7W	3000K	430lm	24°	Ø53 x 140	65300301	65303901	65307501
7W	4000K	495lm	24°	Ø53 x 140	65300401	65304001	65307601
7W	3000K	420lm	38°	Ø53 x 140	65300501	65304101	65307701
7W	4000K	478lm	38°	Ø53 x 140	65300601	65304201	65307801
10W	3000K	490lm	15°	Ø53 x 140	65300701	65304301	65307901
10W	4000K	532lm	15°	Ø53 x 140	65300801	65304401	65308001
10W	3000K	510lm	24°	Ø53 x 140	65300901	65304501	65308101
10W	4000K	587lm	24°	Ø53 x 140	65301001	65304601	65308201
10W	3000K	530lm	38°	Ø53 x 140	65301101	65304701	65308301
10W	4000K	603lm	38°	Ø53 x 140	65301201	65304801	65308401
15W	3000K	900lm	15°	Ø73 x 160	65301301	65304901	65308501
15W	4000K	977lm	15°	Ø73 x 160	65301401	65305001	65308601
15W	3000K	980lm	24°	Ø73 x 160	65301501	65305101	65308701
15W	4000K	1127lm	24°	Ø73 x 160	65301601	65305201	65308801
15W	3000K	1100lm	38°	Ø73 x 160	65301701	65305301	65308901
15W	4000K	1252lm	38°	Ø73 x 160	65301801	65305401	65309001
20W	3000K	1300lm	15°	Ø73 x 160	65301901	65305501	65309101
20W	4000K	1411lm	15°	Ø73 x 160	65302001	65305601	65309201
20W	3000K	1400lm	24°	Ø73 x 160	65302101	65305701	65309301
20W	4000K	1590lm	24°	Ø73 x 160	65302201	65305801	65309401
20W	3000K	1500lm	38°	Ø73 x 160	65302301	65305901	65309501
20W	4000K	1707lm	38°	Ø73 x 160	65302401	65306001	65309601

FOCUS PENDANT

CUBOID PENDANT

LAMP	COLOUR TEMP	DELIVERED LUMENS	BEAM	DIMENSIONS	GREY	WHITE	BLACK
7W	3000K	380lm	15°	53 x 53 x 140	65310901	65314501	65318101
7W	4000K	412lm	15°	53 x 53 x 140	65311001	65314601	65318201
7W	3000K	430lm	24°	53 x 53 x 140	65311101	65314701	65318301
7W	4000K	495lm	24°	53 x 53 x 140	65311201	65314801	65318401
7W	3000K	420lm	38°	53 x 53 x 140	65311301	65314901	65318501
7W	4000K	478lm	38°	53 x 53 x 140	65311401	65315001	65318601
10W	3000K	490lm	15°	53 x 53 x 140	65311501	65315101	65318701
10W	4000K	532lm	15°	53 x 53 x 140	65311601	65315201	65318801
10W	3000K	510lm	24°	53 x 53 x 140	65311701	65315301	65318901
10W	4000K	587lm	24°	53 x 53 x 140	65311801	65315401	65319001
10W	3000K	530lm	38°	53 x 53 x 140	65311901	65315501	65319101
10W	4000K	603lm	38°	53 x 53 x 140	65312001	65315601	65319201
15W	3000K	900lm	15°	73 x 73 x 160	65312101	65315701	65319301
15W	4000K	977lm	15°	73 x 73 x 160	65312201	65315801	65319401
15W	3000K	980lm	24°	73 x 73 x 160	65312301	65315901	65319501
15W	4000K	1127lm	24°	73 x 73 x 160	65312401	65316001	65319601
15W	3000K	1100lm	38°	73 x 73 x 160	65312501	65316101	65319701
15W	4000K	1252lm	38°	73 x 73 x 160	65312601	65316201	65319801
20W	3000K	1300lm	15°	73 x 73 x 160	65312701	65316301	65319901
20W	4000K	1411lm	15°	73 x 73 x 160	65312801	65316401	65320001
20W	3000K	1400lm	24°	73 x 73 x 160	65312901	65316501	65320101
20W	4000K	1590lm	24°	73 x 73 x 160	65313001	65316601	65320201
20W	3000K	1500lm	38°	73 x 73 x 160	65313101	65316701	65320301
20W	4000K	1707lm	38°	73 x 73 x 160	65313201	65316801	65320401

TUBO LED

IP20 CLASS I CE

FEATURES & BENEFITS

- > High efficiency, general purpose cylindrical pendant with multiple outputs and lengths
- > Long average LED life: >60,000hrs LED life (L90/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance
- > Matching downlight and wall light available



PERFORMANCE


Light source	LED
LED output	1760 - 3250lm
Luminaire output	1420 - 2640lm
Luminaire efficiency	≥93lm/W
CRI	>83
Beam angle	30° / 50°

MATERIALS

Body	Extruded aluminium profile
Finish	Anthracite grey / White / Black
Reflector	Anodised aluminium

OPTIONS

- > 70 degree beam
- > 1400mm height
- > Other RAL finishes on request



LAMP	COLOUR TEMP	DELIVERED LUMENS	BEAM	HEIGHT: 600MM			HEIGHT: 1000MM		
				GREY	WHITE	BLACK	GREY	WHITE	BLACK
15W	3000K	1420lm	30°	31906001	31907801	31909601	31911401	31913201	31915001
15W	4000K	1460lm	30°	31906101	31907901	31909701	31911501	31913301	31915101
15W	3000K	1430lm	50°	31906201	31908001	31909801	31911601	31913401	31915201
15W	4000K	1470lm	50°	31906301	31908101	31909901	31911701	31913501	31915301
21W	3000K	1960lm	30°	31906601	31908401	31910201	31912001	31913801	31915601
21W	4000K	2020lm	30°	31906701	31908501	31910301	31912101	31913901	31915701
21W	3000K	1970lm	50°	31906801	31908601	31910401	31912201	31914001	31915801
21W	4000K	2030lm	50°	31906901	31908701	31910501	31912301	31914101	31915901
29W	3000K	2550lm	30°	31907201	31909001	31910801	31912601	31914401	31916201
29W	4000K	2630lm	30°	31907301	31909101	31910901	31912701	31914501	31916301
29W	3000K	2560lm	50°	31907401	31909201	31911001	31912801	31914601	31916401
29W	4000K	2640lm	50°	31907501	31909301	31911101	31912901	31914701	31916501

DELIA LED

IP41 IK10 CLASS I CE

SECTION 03: PENDANT

FEATURES & BENEFITS

- > Available in various lumen outputs and sizes
- > Matching surface mounted luminaires available
- > Average rated LED life: >88,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE



Light source	LED (Samsung)
Emission	Direct
LED output	3690 - 7150lm
Luminaire output	2580 - 4720lm
Luminaire efficiency	>89lm/W
CRI	>80

MATERIALS

Body	Sheet steel
Finish	White
Diffuser	Opal PMMA
Mounting	3 wire suspension, length 1 metre

OPTIONS

- > Replacement shade



LAMP	COLOUR TEMP	DELIVERED LUMENS	SIZE	STANDARD	DALI
28W	3000K	2580lm	Ø400x80	42103001	42103003
28W	4000K	2720lm	Ø400x80	42103101	42103103
36W	3000K	3400lm	Ø400x80	42103201	42103203
36W	4000K	3550lm	Ø400x80	42103301	42103303
35W	3000K	3140lm	Ø500x85	42103401	42103403
35W	4000K	3310lm	Ø500x85	42103501	42103503
53W	3000K	4470lm	Ø500x85	42103601	42103603
53W	4000K	4720lm	Ø500x85	42103701	42103703

www.spearlighting.com | T: 01895 746006 | F: 01895 746005

CARINA LED

IP41 CLASS I CE

FEATURES & BENEFITS

- > Homogeneous light distribution
- > Long rated LED life: >138,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE



Light source	LED (Samsung)
LED output	4750 - 6890lm
Luminaire output	3090 - 4480lm
Luminaire efficiency	≥85lm/W
CRI	>80

MATERIALS


Body and canopy	Steel
Finish	White / Black / Silver
Diffuser	Triple layer opal matt glass
Mounting	Three wire suspension and canopy

OPTIONS

- > Replacement shade
- > Bluetooth enabled



35W, 3000K



LAMP	COLOUR TEMP	DELIVERED LUMENS	FINISH	STANDARD	DALI
35W	3000K	3090lm	White	61400101	61400103
35W	4000K	3260lm	White	61400201	61400203
35W	3000K	3090lm	Silver	61400301	61400303
35W	4000K	3260lm	Silver	61400401	61400403
35W	3000K	3090lm	Black	61400501	61400503
35W	4000K	3260lm	Black	61400601	61400603
50W	3000K	4250lm	White	61400701	61400703
50W	4000K	4480lm	White	61400801	61400803
50W	3000K	4250lm	Silver	61400901	61400903
50W	4000K	4480lm	Silver	61401001	61401003
50W	3000K	4250lm	Black	61401101	61401103
50W	4000K	4480lm	Black	61401201	61401203



IP20 CLASS I CE

SATURN LED

A stunning statement LED pendant accentuated by a curved hole in the centre that draws the eye. This stylish luminaire is available in two different sizes and colours and is complemented with a surface mounted luminaire.

SATURN LED

FEATURES & BENEFITS

- > Homogeneous light distribution
- > Long average LED life: >114,000hrs LED life (L80/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE



Light source	LED (Samsung)
LED output	2270 - 4460lm
Luminaire output	1540 - 3030lm
Luminaire efficiency	≥86lm/W
CRI	>80

MATERIALS

Body and canopy	Steel
Finish	Silver / Black
Diffuser	Triple layer opal matt glass
Mounting	Suspension wires 1m adjustable length

OPTIONS

- > Replacement shade
- > Matching surface mounted luminaire



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	FINISH	STANDARD	DALI
18W	3000K	1540lm	Ø350 x 105	Silver	42300501	42300503
18W	4000K	1630lm	Ø350 x 105	Silver	42300601	42300603
18W	3000K	1540lm	Ø350 x 105	Black	42300701	42300703
18W	4000K	1630lm	Ø350 x 105	Black	42300801	42300803
33W	3000K	2880lm	Ø490 x 130	Silver	42300901	42300903
33W	4000K	3030lm	Ø490 x 130	Silver	42301001	42301003
33W	3000K	2880lm	Ø490 x 130	Black	42301101	42301103
33W	4000K	3030lm	Ø490 x 130	Black	42301201	42301203



IP40 CLASS I CE

ADRIA LED

A stunning, globe-shaped glass LED luminaire with a homogeneous light distribution. Available in multiple light outputs and sizes for maximum design flexibility.

ADRIA LED

FEATURES & BENEFITS

- > Homogeneous light distribution
- > Long average LED life: >114,000hrs LED life (L80/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance

PERFORMANCE



Light source	LED (Samsung)
LED output	1070 - 7150lm
Luminaire output	950 - 6290lm
Luminaire efficiency	≥105lm/W
CRI	>80

MATERIALS

Body and canopy	Steel
Finish	White / Brass / Polished stainless steel / Ground stainless steel
Diffuser	Triple layer opal matt glass
Mounting	Suspension rod, 1000mm

OPTIONS

- > Other suspension lengths - 200/ 400/ 600/ 800mm
- > Steel wire cables up to 2000mm



ADRIA LED

LAMP	COLOUR TEMP	DELIVERED LUMENS	FINISH	DIMENSIONS	STANDARD	DALI
9W	3000K	950lm	White	Ø200	64500501	64500503
9W	4000K	1000lm	White	Ø200	64501001	64501003
9W	3000K	950lm	Brass	Ø200	64501501	64501503
9W	4000K	1000lm	Brass	Ø200	64502001	64502003
9W	3000K	950lm	SST ground	Ø200	64502501	64502503
9W	4000K	1000lm	SST ground	Ø200	64503001	64503003
9W	3000K	950lm	SST polished	Ø200	64503501	64503503
9W	4000K	1000lm	SST polished	Ø200	64504001	64504003
22W	3000K	2610lm	White	Ø300	64504501	64504503
22W	4000K	2760lm	White	Ø300	64505001	64505003
22W	3000K	2610lm	Brass	Ø300	64505501	64505503
22W	4000K	2760lm	Brass	Ø300	64506001	64506003
22W	3000K	2610lm	SST ground	Ø300	64506501	64506503
22W	4000K	2760lm	SST ground	Ø300	64507001	64507003
22W	3000K	2610lm	SST polished	Ø300	64507501	64507503
22W	4000K	2760lm	SST polished	Ø300	64508001	64508003
29W	3000K	3430lm	White	Ø400	64508501	64508503
29W	4000K	3620lm	White	Ø400	64509001	64509003
29W	3000K	3430lm	Brass	Ø400	64509501	64509503
29W	4000K	3620lm	Brass	Ø400	64510001	64510003
29W	3000K	3430lm	SST ground	Ø400	64510501	64510503
29W	4000K	3620lm	SST ground	Ø400	64511001	64511003
29W	3000K	3430lm	SST polished	Ø400	64511501	64511503
29W	4000K	3620lm	SST polished	Ø400	64512001	64512003
44W	3000K	5170lm	White	Ø500	64512501	64512503
44W	4000K	5450lm	White	Ø500	64513001	64513003
44W	3000K	5170lm	Brass	Ø500	64513501	64513503
44W	4000K	5450lm	Brass	Ø500	64514001	64514003
44W	3000K	5170lm	SST ground	Ø500	64514501	64514503
44W	4000K	5450lm	SST ground	Ø500	64515001	64515003
44W	3000K	5170lm	SST polished	Ø500	64515501	64515503
44W	4000K	5450lm	SST polished	Ø500	64516001	64516003
51W	3000K	5970lm	White	Ø600	64516501	64516003
51W	4000K	6290lm	White	Ø600	64517001	64517003
51W	3000K	5970lm	Brass	Ø600	64517501	64517503
51W	4000K	6290lm	Brass	Ø600	64518001	64518003
51W	3000K	5970lm	SST ground	Ø600	64518501	64518503
51W	4000K	6290lm	SST ground	Ø600	64519001	64519003
51W	3000K	5970lm	SST polished	Ø600	64519501	64519503
51W	4000K	6290lm	SST polished	Ø600	64520001	64520003

* SST - Stainless Steel





IP20 CLASS I CE

ANDRIA LED

A range of decorative interior LED pendants, available in two different sizes, with complementary surface mounted products.

Ideal for reception areas, boardrooms and hospitality environments.

ANDRIA LED



FEATURES & BENEFITS

- > Elegant, minimalist design
- > Average rated LED life: >50,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam ellipse tolerance
- > Various coloured finishes

PERFORMANCE



Light source	LED
Emission	Direct
Luminaire output	520 - 560lm (Ø340mm), 2090-3500lm (Ø610mm)
CRI	80
Beam angle	120°

MATERIALS

Body	Aluminium
Finish	White-Gold / Black-Gold / Black-Silver
Diffuser	Opal

OPTIONS

- > Surface mounted version
- > Microwave sensor for enhanced energy savings
- > DALI



LAMP	COLOUR TEMP	DELIVERED LUMENS	DIMENSIONS	WHITE/GOLD	BLACK/GOLD	BLACK/SILVER
9W	3000K	520lm	Ø340 x 280	64300101	64300201	64300301
9W	4000K	560lm	Ø340 x 280	64300401	64300501	64300601
32W	3000K	2090lm	Ø610 x 150	64300701	64300801	64300901
32W	4000K	2250lm	Ø610 x 150	64301001	64301101	64301201
50W	3000K	3250lm	Ø610 x 150	64301301	64301401	64301501
50W	4000K	3500lm	Ø610 x 150	64301601	64301701	64301801



IP20 CLASS I 850° F MARK CE

CONICA LED

A high performance COB LED pendant characterised by the elegant conical shape of its body and its inverted cone ceiling canopy.

Ideal for retail, hospitality, residential and reception areas mounted either individually or in a cluster for greater impact.

CONICA LED

FEATURES & BENEFITS

- > Effective passive heat dissipation
- > High visual comfort - extremely low glare
- > Average rated LED life: >50,000hrs (L80/B10)
- > Optimum colour consistency - 3 step MacAdam chromaticity tolerance
- > Integral driver

PERFORMANCE



Light source	LED
Distribution	Symmetric
Luminaire output	890—1780lm
LED output	1000 - 2000lm
Luminaire efficiency	≥93lm/W
CRI	>80
Beam angle	60 degrees
UGR	<14

MATERIALS

Body	Die-cast aluminium
Finish	Matt white / Black
Mounting	Up to 2m black fabric suspension cable

OPTIONS

- > 20°/38° beam angle optics
- > Snoot and honeycomb accessories
- > Polished chrome and brushed copper finish
- > Other colour temperatures on request



LAMP	COLOUR TEMP	DELIVERED LUMENS	FINISH	STANDARD
9.5W	3000K	890lm	White	63700901
9.5W	3000K	890lm	Black	63701001
19W	3000K	1780lm	White	63702101
19W	3000K	1780lm	Black	63702201



IP20 IK04 CLASS I CE

TWINGO LED

A modern architectural range of geometric shaped LED luminaires that can be suspended or surface mounted.

Ideal for hotel atriums, reception areas, conference rooms, corridors or shopping centres.

TWINGO LED

FEATURES & BENEFITS

- > Distinctive modern geometric designs - square, triangle, hexagon and circle
- > Full or edge illumination
- > Permits various design configurations
- > Long average LED life: >60,000hrs LED life (L80/B10)
- > Optimum colour consistency - 2 step MacAdam chromaticity tolerance

PERFORMANCE

Light source	LED
LED output	3787 - 39600lm (Square) 2840 - 20295lm (Triangle) 2840 - 16830 (Hexagon) 2845 - 24754 (Circle)
Luminaire output	1984 - 29106lm (Square) 1488 - 14917lm (Triangle) 1488 - 12370lm (Hexagon) 1490 - 18194lm (Circle)
CRI	>80

MATERIALS


Body	Aluminium profile
Finish	White
Diffuser	Opal PMMA
Mounting	Suspension wires 1.5m length

OPTIONS

- > Other RAL finishes available on request



TWINGO LED




660/930/1200

660/930/1200




1500



312W, 3000K

LAMP	COLOUR TEMP	DELIVERED LUMENS	TYPE	DIMENSIONS	STANDARD	DALI
35W	3000K	3131lm	Square - Full	660 x 660	64900101	64900103
35W	4000K	3274lm	Square - Full	660 x 660	64900201	64900203
65W	3000K	5565lm	Square - Full	660 x 660	64900301	64900303
65W	4000K	5821lm	Square - Full	660 x 660	64900401	64900403
93W	3000K	8348lm	Square - Full	660 x 660	64900501	64900503
93W	4000K	8732lm	Square - Full	660 x 660	64900601	64900603
70W	3000K	6260lm	Square - Full	930 x 930	64900701	64900703
70W	4000K	6549lm	Square - Full	930 x 930	64900801	64900803
117W	3000K	10434lm	Square - Full	930 x 930	64900901	64900903
117W	4000K	10915lm	Square - Full	930 x 930	64901001	64901003
175W	3000K	15652lm	Square - Full	930 x 930	64901101	64901103
175W	4000K	16372lm	Square - Full	930 x 930	64901201	64901203
110W	3000K	10782lm	Square - Full	1200 x 1200	64901301	64901303
110W	4000K	11279lm	Square - Full	1200 x 1200	64901401	64901403
202W	3000K	18086lm	Square - Full	1200 x 1200	64901501	64901503
202W	4000K	18919lm	Square - Full	1200 x 1200	64901601	64901603
312W	3000K	27826lm	Square - Full	1200 x 1200	64901701	64901703
312W	4000K	29106lm	Square - Full	1200 x 1200	64901801	64901803
32W	3000K	1984lm	Square - Edge	660 x 660	64901901	64901903
32W	4000K	2075lm	Square - Edge	660 x 660	64902001	64902003
65W	3000K	3969lm	Square - Edge	660 x 660	64902101	64902103
65W	4000K	4150lm	Square - Edge	660 x 660	64902201	64902203
50W	3000K	2977lm	Square - Edge	930 x 930	64902301	64902303
50W	4000K	3113lm	Square - Edge	930 x 930	64902401	64902403
92W	3000K	5952lm	Square - Edge	930 x 930	64902501	64902503
92W	4000K	6225lm	Square - Edge	930 x 930	64902601	64902603
65W	3000K	3969lm	Square - Edge	1200 x 1200	64902701	64902703
65W	4000K	4150lm	Square - Edge	1200 x 1200	64902801	64902803
123W	3000K	7940lm	Square - Edge	1200 x 1200	64902901	64902903
123W	4000K	8300lm	Square - Edge	1200 x 1200	64903001	64903003

TWINGO LED




630/900/1170

575/809/1043




1500



50W, 4000K

LAMP	COLOUR TEMP	DELIVERED LUMENS	TYPE	DIMENSIONS	STANDARD	DALI
25W	3000K	2087lm	Triangle - Full	630 x 575	64903101	64903103
25W	4000K	2183lm	Triangle - Full	630 x 575	64903201	64903203
35W	3000K	3131lm	Triangle - Full	630 x 575	64903301	64903303
35W	4000K	3274lm	Triangle - Full	630 x 575	64903401	64903403
55W	3000K	4869lm	Triangle - Full	630 x 575	64903501	64903503
55W	4000K	5094lm	Triangle - Full	630 x 575	64903601	64903603
43W	3000K	3826lm	Triangle - Full	900 x 809	64903701	64903703
43W	4000K	4002lm	Triangle - Full	900 x 809	64903801	64903803
62W	3000K	5565lm	Triangle - Full	900 x 809	64903901	64903903
62W	4000K	5821lm	Triangle - Full	900 x 809	64904001	64904003
97W	3000K	8696lm	Triangle - Full	900 x 809	64904101	64904103
97W	4000K	9096lm	Triangle - Full	900 x 809	64904201	64904203
66W	3000K	5913lm	Triangle - Full	1170 x 1043	64904301	64904303
66W	4000K	6185lm	Triangle - Full	1170 x 1043	64904401	64904403
105W	3000K	9392lm	Triangle - Full	1170 x 1043	64904501	64904503
105W	4000K	9823lm	Triangle - Full	1170 x 1043	64904601	64904603
145W	3000K	14260lm	Triangle - Full	1170 x 1043	64904701	64904703
145W	4000K	14917lm	Triangle - Full	1170 x 1043	64904801	64904803
25W	3000K	1488lm	Triangle - Edge	630 x 575	64904901	64904903
25W	4000K	1556lm	Triangle - Edge	630 x 575	64905001	64905003
50W	3000K	2977lm	Triangle - Edge	630 x 575	64905101	64905103
50W	4000K	3113lm	Triangle - Edge	630 x 575	64905201	64905203
35W	3000K	2233lm	Triangle - Edge	900 x 809	64905301	64905303
35W	4000K	2334lm	Triangle - Edge	900 x 809	64905401	64905403
70W	3000K	4465lm	Triangle - Edge	900 x 809	64905501	64905503
70W	4000K	4669lm	Triangle - Edge	900 x 809	64905601	64905603
50W	3000K	2977lm	Triangle - Edge	1170 x 1043	64905701	64905703
50W	4000K	3113lm	Triangle - Edge	1170 x 1043	64905801	64905803
92W	3000K	5952lm	Triangle - Edge	1170 x 1043	64905901	64905903
92W	4000K	6225lm	Triangle - Edge	1170 x 1043	64906001	64906003

TWINGO LED




650/900/1043/1170

592/809/1043/1170





1500



78W, 4000K

LAMP	COLOUR TEMP	DELIVERED LUMENS	TYPE	DIMENSIONS	STANDARD	DALI
28W	3000K	2435lm	Hexagon - Full	650 x 592	64906101	64906103
28W	4000K	2547lm	Hexagon - Full	650 x 592	64906201	64906203
43W	3000K	3826lm	Hexagon - Full	650 x 592	64906301	64906303
43W	4000K	4002lm	Hexagon - Full	650 x 592	64906401	64906403
66W	3000K	5915lm	Hexagon - Full	650 x 592	64906501	64906503
66W	4000K	6185lm	Hexagon - Full	650 x 592	64906601	64906603
47W	3000K	4174lm	Hexagon - Full	900 x 809	64906701	64906703
47W	4000K	4366lm	Hexagon - Full	900 x 809	64906801	64906803
78W	3000K	6956lm	Hexagon - Full	900 x 809	64906901	64906903
78W	4000K	7277lm	Hexagon - Full	900 x 809	64907001	64907003
117W	3000K	10435lm	Hexagon - Full	900 x 809	64907101	64907103
117W	4000K	10915lm	Hexagon - Full	900 x 809	64907201	64907203
82W	3000K	7304lm	Hexagon - Full	1170 x 1170	64907301	64907303
82W	4000K	7640lm	Hexagon - Full	1170 x 1170	64907401	64907403
132W	3000K	11825lm	Hexagon - Full	1170 x 1170	64907501	64907503
132W	4000K	12370lm	Hexagon - Full	1170 x 1170	64907601	64907603
25W	3000K	1488lm	Hexagon - Edge	650 x 592	64907701	64907703
25W	4000K	1556lm	Hexagon - Edge	650 x 592	64907801	64907803
50W	3000K	2977lm	Hexagon - Edge	650 x 592	64907901	64907903
50W	4000K	3113lm	Hexagon - Edge	650 x 592	64908001	64908003
35W	3000K	2233lm	Hexagon - Edge	900 x 809	64908101	64908103
35W	4000K	2334lm	Hexagon - Edge	900 x 809	64908201	64908203
70W	3000K	4465lm	Hexagon - Edge	900 x 809	64908301	64908303
70W	4000K	4669lm	Hexagon - Edge	900 x 809	64908401	64908403
50W	3000K	2977lm	Hexagon - Edge	1043 x 1043	64908501	64908503
50W	4000K	3113lm	Hexagon - Edge	1043 x 1043	64908601	64908603
92W	3000K	5952lm	Hexagon - Edge	1043 x 1043	64908701	64908703
92W	4000K	6225lm	Hexagon - Edge	1043 x 1043	64908801	64908803

TWINGO LED



93W, 3000K

SECTION 03: PENDANT


LAMP	COLOUR TEMP	DELIVERED LUMENS	TYPE	DIMENSIONS	STANDARD	DALI
35W	3000K	3146lm	Circle - Full	Ø650 x 80	64908901	64908903
35W	4000K	3275lm	Circle - Full	Ø650 x 80	64909001	64909003
56W	3000K	4891lm	Circle - Full	Ø650 x 80	64909101	64909103
56W	4000K	5095lm	Circle - Full	Ø650 x 80	64909201	64909203
71W	3000K	6288lm	Circle - Full	Ø650 x 80	64909301	64909303
71W	4000K	6550lm	Circle - Full	Ø650 x 80	64909401	64909403
66W	3000K	5939lm	Circle - Full	Ø900 x 80	64909501	64909503
66W	4000K	6186lm	Circle - Full	Ø900 x 80	64909601	64909603
91W	3000K	9782lm	Circle - Full	Ø900 x 80	64909701	64909703
91W	4000K	10189lm	Circle - Full	Ø900 x 80	64909801	64909803
138W	3000K	12225lm	Circle - Full	Ø900 x 80	64909901	64909903
138W	4000K	17326lm	Circle - Full	Ø900 x 80	64910001	64910003
137W	3000K	12225lm	Circle - Full	Ø1150 x 80	64910101	64910103
137W	4000K	12735lm	Circle - Full	Ø1150 x 80	64910201	64910203
195W	3000K	17471lm	Circle - Full	Ø1150 x 80	64910301	64910303
195W	4000K	18194lm	Circle - Full	Ø1150 x 80	64910401	64910403
25W	3000K	1490lm	Circle - Edge	Ø650 x 80	64910501	64910503
25W	4000K	1559lm	Circle - Edge	Ø650 x 80	64910601	64910603
50W	3000K	2977lm	Circle - Edge	Ø650 x 80	64910701	64910703
50W	4000K	3113lm	Circle - Edge	Ø650 x 80	64910801	64910803
35W	3000K	2232lm	Circle - Edge	Ø900 x 80	64910901	64910903
35W	4000K	2334lm	Circle - Edge	Ø900 x 80	64911001	64911003
70W	3000K	4465lm	Circle - Edge	Ø900 x 80	64911101	64911103
70W	4000K	4669lm	Circle - Edge	Ø900 x 80	64911201	64911203
50W	3000K	2976lm	Circle - Edge	Ø1150 x 80	64911301	64911303
50W	4000K	3113lm	Circle - Edge	Ø1150 x 80	64911401	64911403
93W	3000K	5952lm	Circle - Edge	Ø1150 x 80	64911501	64911503
93W	4000K	6225lm	Circle - Edge	Ø1150 x 80	64911601	64911603

CONCRETE SERIES

Spear Lighting offers a range of high quality, hand-cast concrete luminaires, each with a modern stylish design that can be customised to blend harmoniously with any interior. Concrete can enhance modern, industrial, minimalist and urban interior design adding visual interest with its earthy tones and a touch of sophistication to a space.

We offer 8 base colours of concrete, which reveal their colour finish and personality after a drying period of 30 days. Each lamp is unique in terms of its surface texture, tone and colour - a chic accent piece, ideal for creating contrast and an instant focal point in a room! Some of the luminaires are also available with an optional decorative finish or a layer of metal to enhance their individual style. There are three different metal suspension options and 42 unique braided cables to emphasise the style of the lamp. All lamps need to be ordered separately unless otherwise stated.

BASE COLOUR



Natural

Grey

Anthracite

Black


Chocolate

Green

Blue

Ochre

METAL ELEMENT




Steel

Brass

Copper

POLYESTER BRAIDED CABLES



00

BLACK

01

WHITE

02

GREY

03

DARK GREY

04

BROWN

05

WINE RED

06

RED

07

ORANGE

08

PINK

09


VIOLET

10

AMARANT

11

TURQUOISE



12

GREEN

13

SAGE

14

FOREST
GREEN

15

MOSS

16

OLIVE

17

PISTACHIO

18

YELLOW

19

SKY BLUE

20

DENIM

21

NAVY

22

BIRCH

23

CHEQUERED

COTTON BRAIDED CABLES



24

IVORY

25

BEIGE

26

LIGHT GREY

27

GREY

28

DARK GREY

29

BLACK

30

BROWN

31

CLARET

32

BLUE

33

KHAKI

34

RED

35


INDIAN
SUMMER

CONCRETE SERIES

LINEN CABLES



BROCADE CABLES



CEILING ROSE

We offer a variety of ceiling roses to suit the style of luminaire. Our standard default is a steel ceiling rose unless stated. However, in most cases, a concrete ceiling rose can be ordered to match the shade of the luminaire.



Steel - Single cable



Steel - Single cable & suspension line




Single concrete ceiling roses available in multiple finishes



Multi concrete ceiling roses available in multiple finishes - Contact our sales office for more details

OPTIONAL DECORATIVE FINISHES



Salt & Pepper

Rusty Grey

Olive Grey

OPTIONAL METAL COLLECTION FINISHES (PAINTED OVER THE BASE COLOURS)



Champagne Bronze

Copper

Silver Gun

Brass

SEATTLE

MATERIALS


Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø70mm, height: 270mm
Lamp holder	GU10

OPTIONS

- > Concrete ceiling rose
- > Multi-shade configuration
- > 7W lamp (620lm, 3000K / 640lm, 4000K)
- > 9W lamp (820lm, 3000K / 840lm, 4000K)

PART CODE EXAMPLE: SEATTLE 55400122

Natural shade with a steel lamp holder with birch polyester braided cable




Natural

Steel

22
Birch

Ø70mm

FINISH	STEEL	BRASS	COPPER
Natural	554001 +__	554009 +__	554017 +__
Grey	554002 +__	554010 +__	554018 +__
Anthracite	554003 +__	554011 +__	554019 +__
Black	554004 +__	554012 +__	554020 +__
Chocolate	554005 +__	554013 +__	554021 +__
Green	554006 +__	554014 +__	554022 +__
Blue	554007 +__	554015 +__	554023 +__
Ochre	554008 +__	554016 +__	554024 +__






BALTIMORE

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø320mm, height: 160mm, 2.95Kg Ø470mm, height: 235mm, 6.25Kg Ø620mm, height: 310mm, 10Kg
Lamp holder	E27, Max 40W

OPTIONS

> Concrete ceiling rose



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø320mm

FINISH	STEEL	BRASS	COPPER
Natural	553001 +__	553009 +__	553017 +__
Grey	553002 +__	553010 +__	553018 +__
Anthracite	553003 +__	553011 +__	553019 +__
Black	553004 +__	553012 +__	553020 +__
Chocolate	553005 +__	553013 +__	553021 +__
Green	553006 +__	553014 +__	553022 +__
Blue	553007 +__	553015 +__	553023 +__
Ochre	553008 +__	553016 +__	553024 +__

Ø470mm

FINISH	STEEL	BRASS	COPPER
Natural	553025 +__	553033 +_	553041 +_
Grey	553026 +__	553034 +_	553042 +_
Anthracite	553027 +__	553035 +_	553043 +_
Black	553028 +__	553036 +_	553044 +_
Chocolate	553029 +__	553037 +_	553045 +_
Green	553030 +__	553038 +_	553046 +_
Blue	553031 +_	553039 +_	553047 +_
Ochre	553032 +_	553040 +_	553048 +_



Ø620mm

FINISH	STEEL	BRASS	COPPER
Natural	553049 + __	553057 + __	553065 + __
Grey	553050 + __	553058 + __	553066 + __
Anthracite	553051 + __	553059 + __	553067 + __
Black	553052 + __	553060 + __	553068 + __
Chocolate	553053 + __	553061 + __	553069 + __
Green	553054 + __	553062 + __	553070 + __
Blue	553055 + __	553063 + __	553071 + __
Ochre	553056 + __	553064 + __	553072 + __

BOSTON

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated. (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Concrete
Dimensions	Ø62mm, height: 110mm Ø62mm, height: 210mm Ø62mm, height: 310mm
Lamp holder	GU10

OPTIONS

- > Long concrete ceiling rose
- > 7W GU10 lamp (620lm, 3000K / 640lm, 4000K)
- > 9W GU10 lamp (820lm, 3000K / 840lm, 4000K)



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø62mm, H: 110mm

FINISH	STEEL	BRASS	COPPER
Natural	556001 +__	556009 +__	556017 +__
Grey	556002 +__	556010 +__	556018 +__
Anthracite	556003 +__	556011 +__	556019 +__
Black	556004 +__	556012 +__	556020 +__
Chocolate	556005 +__	556013 +__	556021 +__
Green	556006 +__	556014 +__	556022 +__
Blue	556007 +__	556015 +__	556023 +__
Ochre	556008 +__	556016 +__	556024 +__

Ø62mm, H: 210mm

FINISH	STEEL	BRASS	COPPER
Natural	556025 +__	556033 +__	556041 +__
Grey	556026 +__	556034 +__	556042 +__
Anthracite	556027 +__	556035 +__	556043 +__
Black	556028 +__	556036 +__	556044 +__
Chocolate	556029 +__	556037 +__	556045 +__
Green	556030 +__	556038 +__	556046 +__
Blue	556031 +__	556039 +__	556047 +__
Ochre	556032 +__	556040 +__	556048 +__



Ø62mm, H: 310mm

FINISH	STEEL	BRASS	COPPER
Natural	556049 + __	556057 + __	556065 + __
Grey	556050 + __	556058 + __	556066 + __
Anthracite	556051 + __	556059 + __	556067 + __
Black	556052 + __	556060 + __	556068 + __
Chocolate	556053 + __	556061 + __	556069 + __
Green	556054 + __	556062 + __	556070 + __
Blue	556055 + __	556063 + __	556071 + __
Ochre	556056 + __	556064 + __	556072 + __

MANHATTAN

MATERIALS


Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø110mm, height: 155mm, 0.8Kg Ø150mm, height: 220mm, 1.2Kg Ø190mm, height: 270mm, 2.5Kg
Lamp holder	E27, Max 15W



OPTIONS

- > Concrete ceiling rose
- > Triple shade configuration
- > Decorative metal layer

*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*



Ø110mm

FINISH	STEEL	BRASS	COPPER
Natural	551001 + __	551009 + __	551017 + __
Grey	551002 + __	551010 + __	551018 + __
Anthracite	551003 + __	551011 + __	551019 + __
Black	551004 + __	551012 + __	551020 + __
Chocolate	551005 + __	551013 + __	551021 + __
Green	551006 + __	551014 + __	551022 + __
Blue	551007 + __	551015 + __	551023 + __
Ochre	551008 + __	551016 + __	551024 + __

Ø150mm

FINISH	STEEL	BRASS	COPPER
Natural	551025 + __	551033 + __	551041 + __
Grey	551026 + __	551034 + __	551042 + __
Anthracite	551027 + __	551035 + __	551043 + __
Black	551028 + __	551036 + __	551044 + __
Chocolate	551029 + __	551037 + __	551045 + __
Green	551030 + __	551038 + __	551046 + __
Blue	551031 + __	551039 + __	551047 + __
Ochre	551032 + __	551040 + __	551048 + __



Decorative metal layer option

Ø190mm

FINISH	STEEL	BRASS	COPPER
Natural	551049 +__	551057 +__	551065 +__
Grey	551050 +__	551058 +__	551066 +__
Anthracite	551051 +__	551059 +__	551067 +__
Black	551052 +__	551060 +__	551068 +__
Chocolate	551053 +__	551061 +__	551069 +__
Green	551054 +__	551062 +__	551070 +__
Blue	551055 +__	551063 +__	551071 +__
Ochre	551056 +__	551064 +__	551072 +__

SANTIAGO

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø210mm x 170mm Ø280mm x 230mm
Lamp holder	E14

OPTIONS

> Concrete ceiling rose



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø210mm

FINISH	STEEL	BRASS	COPPER
Natural	560001 +__	560009 +__	560017 +__
Grey	560002 +__	560010 +__	560018 +__
Anthracite	560003 +__	560011 +__	560019 +__
Black	560004 +__	560012 +__	560020 +__
Chocolate	560005 +__	560013 +__	560021 +__
Green	560006 +__	560014 +__	560022 +__
Blue	560007 +__	560015 +__	560023 +__
Ochre	560008 +__	560016 +__	560024 +__

Ø280mm

FINISH	STEEL	BRASS	COPPER
Natural	560025 +__	560033 +__	560041 +__
Grey	560026 +__	560034 +__	560042 +__
Anthracite	560027 +__	560035 +__	560043 +__
Black	560028 +__	560036 +__	560044 +__
Chocolate	560029 +__	560037 +__	560045 +__
Green	560030 +__	560038 +__	560046 +__
Blue	560031 +__	560039 +__	560047 +__
Ochre	560032 +__	560040 +__	560048 +__

KYOTO

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø285mm, height: 275mm, 3.25Kg
Lamp holder	E27, Max 40W

OPTIONS

> Concrete ceiling rose




Concrete

Steel

Brass

Copper



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø285mm

FINISH	CONCRETE	STEEL	BRASS	COPPER
Natural	559001 +__	559009 +__	559017 +__	559025 +__
Grey	559002 +__	559010 +__	559018 +__	559026 +__
Anthracite	559003 +__	559011 +__	559019 +__	559027 +__
Black	559004 +__	559012 +__	559020 +__	559028 +__
Chocolate	559005 +__	559013 +__	559021 +__	559029 +__
Green	559006 +__	559014 +__	559022 +__	559030 +__
Blue	559007 +__	559015 +__	559023 +__	559031 +__
Ochre	559008 +__	559016 +__	559024 +__	559032 +__


ATLANTA

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø200mm, height: 190mm, 1.5Kg Ø190mm, height: 290mm, 2Kg Ø270mm, height: 210mm, 2.3Kg
Lamp holder	E27, Max 15W

OPTIONS

- > Concrete ceiling rose
- > Decorative finish
- > Velvet finish



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø190mm, H: 290mm

FINISH	STEEL	BRASS	COPPER
Natural	552001 +__	552009 +__	552017 +__
Grey	552002 +__	552010 +__	552018 +__
Anthracite	552003 +__	552011 +__	552019 +__
Black	552004 +__	552012 +__	552020 +__
Chocolate	552005 +__	552013 +__	552021 +__
Green	552006 +__	552014 +__	552022 +__
Blue	552007 +__	552015 +__	552023 +__
Ochre	552008 +__	552016 +__	552024 +__

Ø200mm, H: 190mm

FINISH	STEEL	BRASS	COPPER
Natural	552025 +__	552033 +__	552041 +__
Grey	552026 +__	552034 +__	552042 +__
Anthracite	552027 +__	552035 +__	552043 +__
Black	552028 +__	552036 +__	552044 +__
Chocolate	552029 +__	552037 +__	552045 +__
Green	552030 +__	552038 +__	552046 +__
Blue	552031 +__	552039 +__	552047 +__
Ochre	552032 +__	552040 +__	552048 +__



Velvet finish option

Ø270mm, H: 210mm

FINISH	STEEL	BRASS	COPPER
Natural	552049 + __	552057 + __	552065 + __
Grey	552050 + __	552058 + __	552066 + __
Anthracite	552051 + __	552059 + __	552067 + __
Black	552052 + __	552060 + __	552068 + __
Chocolate	552053 + __	552061 + __	552069 + __
Green	552054 + __	552062 + __	552070 + __
Blue	552055 + __	552063 + __	552071 + __
Ochre	552056 + __	552064 + __	552072 + __

FIJI

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Steel / Brass / Copper
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated. (Last 2 code digits: 00) Max: 1200mm suspension length.
Ceiling rose	Concrete single cable. Other options available.
Dimensions	Ø600mm, height: 300mm
Lamp holder	E27, Max 40W

OPTIONS


> Decorative finishes



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø600mm - NATURAL INNER IMPRINT

FINISH	STEEL	BRASS	COPPER
Natural	557001 + __	557009 + __	557017 + __
Grey	557002 + __	557010 + __	557018 + __
Anthracite	557003 + __	557011 + __	557019 + __
Black	557004 + __	557012 + __	557020 + __
Chocolate	557005 + __	557013 + __	557021 + __
Green	557006 + __	557014 + __	557022 + __
Blue	557007 + __	557015 + __	557023 + __
Ochre	557008 + __	557016 + __	557024 + __





Fiji pendant with coloured inner imprint

Ø600mm - COLOURED INNER IMPRINT

FINISH	STEEL	BRASS	COPPER
Natural	557025 + __	557033 + __	557041 + __
Grey	557026 + __	557034 + __	557042 + __
Anthracite	557027 + __	557035 + __	557043 + __
Black	557028 + __	557036 + __	557044 + __
Chocolate	557029 + __	557037 + __	557045 + __
Green	557030 + __	557038 + __	557046 + __
Blue	557031 + __	557039 + __	557047 + __
Ochre	557032 + __	557040 + __	557048 + __

CALIFORNIA

PERFORMANCE

Lamp	LED
Power	14W / 22W / 28W
Lumen output	1140lm / 1800lm / 2250lm
Colour temperature	3000K / 4000K
CRI	>80


MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Cable suspension	Stainless steel
Dimensions	Lengths: 1060 / 1620 / 1970mm Width: 40mm Height: 75mm



OPTIONS

- > Copper / Brass finish
- > Matching concrete wall luminaire
- > Teak wood version



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

FINISH	1060mm, 14W		1620mm, 22W		1970mm, 28W	
	3000K	4000K	3000K	4000K	3000K	4000K
Natural	56800150	56800950	56801750	56802550	56803350	56804150
Grey	56800250	56801050	56801850	56802650	56803450	56804250
Anthracite	56800350	56801150	56801950	56802750	56803550	56804350
Black	56800450	56801250	56802050	56802850	56803650	56804450
Chocolate	56800550	56801350	56802150	56802950	56803750	56804550
Green	56800650	56801450	56802250	56803050	56803850	56804650
Blue	56800750	56801550	56802350	56803150	56803950	56804750
Ochre	56800850	56801650	56802450	56803250	56804050	56804850



*Optional copper or brass
hand-cast finish*

FINISH	COPPER FINISH, 1060mm, 14W		BRASS FINISH, 1060mm, 14W	
	3000K	4000K	3000K	4000K
Natural	56804950	56805750	56806550	56807350
Grey	56805050	56805850	56806650	56807450
Anthracite	56805150	56805950	56806750	56807550
Black	56805250	56806050	56806850	56807650
Chocolate	56805350	56806150	56806950	56807750
Green	56805450	56806250	56807050	56807850
Blue	56805550	56806350	56807150	56807950
Ochre	56805650	56806450	56807250	56808050



BROOKLYN

MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Metal overcoat	Champagne bronze / Copper / Silver gun / Brass
Cable suspension	Stainless steel
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø550mm, height: 850mm
Lamp holder	E27
Bulb	To be ordered separately

OPTIONS

- > Concrete ceiling rose
- > Copper/Brass cable suspension



BROOKLYN 56101200

Black shade with a copper metal paint finish, steel lamp holder with black polyester braided cable

*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø55mm

FINISH	METAL PAINT FINISH			
	CHAMPAGNE BRONZE	COPPER	SILVER GUN	BRASS
Natural	561001 + __	561009 + __	561017 + __	561025 + __
Grey	561002 + __	561010 + __	561018 + __	561026 + __
Anthracite	561003 + __	561011 + __	561019 + __	561027 + __
Black	561004 + __	561012 + __	561020 + __	561028 + __
Chocolate	561005 + __	561013 + __	561021 + __	561029 + __
Green	561006 + __	561014 + __	561022 + __	561030 + __
Blue	561007 + __	561015 + __	561023 + __	561031 + __
Ochre	561008 + __	561016 + __	561024 + __	561032 + __



CHICAGO


MATERIALS

Body	Concrete
Finish	Choice of 8 base colours: Natural / Grey / Anthracite / Black / Chocolate / Green / Blue / Ochre
Metal Overcoat	Champagne bronze / Copper / Silver gun / Brass
Cable suspension	Stainless steel
Cable	Polyester, cotton, linen and brocade options. Standard: Black polyester braid unless stated (Last 2 code digits: 00) Max: 1200mm suspension length
Ceiling rose	Steel, single cable Other options available
Dimensions	Ø400mm
Lamp holder	E27



OPTIONS

- > Concrete ceiling rose
- > Other lamp holder finishes



*The last two digits represent the choice of cable.
Please see page 118 to make your selection.*

Ø400mm


FINISH	METAL PAINT FINISH				
	CHAMPAGNE BRONZE	COPPER	SILVER GUN	BRASS	CONCRETE
Natural	558001 + __	558009 + __	558017 + __	558025 + __	558033 + __
Grey	558002 + __	558010 + __	558018 + __	558026 + __	558034 + __
Anthracite	558003 + __	558011 + __	558019 + __	558027 + __	558035 + __
Black	558004 + __	558012 + __	558020 + __	558028 + __	558036 + __
Chocolate	558005 + __	558013 + __	558021 + __	558029 + __	558037 + __
Green	558006 + __	558014 + __	558022 + __	558030 + __	558038 + __
Blue	558007 + __	558015 + __	558023 + __	558031 + __	558039 + __
Ochre	558008 + __	558016 + __	558024 + __	558032 + __	558040 + __



BRONX

MATERIALS

Body	Aluminium
Finish	Copper / Nickel / Brass
Cable suspension	Steel / Brass / Copper
Cable	Black polyester braided cable Max: 1200mm suspension length
Ceiling rose	Aluminium, finish to match shade colour
Dimensions	Ø250mm / Ø380mm
Lamp holder	E27, Max 40W



FINISH	STEEL		BRASS		COPPER	
	Ø250MM	Ø380MM	Ø250MM	Ø380MM	Ø250MM	Ø380MM
Copper	56700100	56700400	56700700	56701000	56701300	56701600
Nickel	56700200	56700500	56700800	56701100	56701400	56701700
Brass	56700300	56700600	56700900	56701200	56701500	56701800

MEMPHIS



MATERIALS

Body	Aluminium
Finish	Black outer, brass inner / Bronze / Nickel / Rusty
Cable suspension	Steel chain. Max: 1200mm suspension length.
Ceiling rose	Aluminium, finish to match shade colour
Dimensions	Ø350mm / Ø460mm / Ø700mm
Lamp holder	E27, Max 60W



Ø350/460/700

FINISH	Ø350MM	Ø460MM	Ø700MM
Black / Brass	56400100	56400500	56400900
Bronze	56400200	56400600	56401000
Nickel	56400300	56400700	56401100
Rusty	56400400	56400800	56401200




PRAGA


MATERIALS

Body	Aluminium
Finish	Red / Lilac / Rusty Green / White
Dimensions	Ø240mm / Ø340mm
Lamp holder	E27, Max 40W

FINISH	Ø240MM	Ø340MM
Red	56600100	56600500
Lilac	56600200	56600600
Rusty Green	56600300	56600700
White	56600400	56600800



BERLIN

**MATERIALS**

Body	Aluminium
Finish	Green / Brown / Rusty Brown
Dimensions	Ø360mm
Lamp holder	E27, Max 60W

FINISH	Ø360MM
Green	56500100
Brown	56500200
Rusty Brown	56500300

SUEZ

PERFORMANCE


Lamp	COB LED (Nichia)
Luminaire output	230lm
CRI	>80
Beam angle	14° / 28° / 44°

MATERIALS

Body	Aluminium
Finish	Anodised aluminium / Black
Dimensions	Ø30mm x 300mm, 0.41Kg

OPTIONS

- > CRI >90
- > 2700K
- > Ø30mm x 500mm, 0.51Kg
- > Ø30mm x 500mm, 0.65Kg



LAMP	COLOUR TEMP	LUMENS	BEAM ANGLE	DIMENSIONS	ANODISED ALUMINIUM	BLACK
2.3W	3000K	230lm	14°	Ø30 x 300	56900101	56900701
2.3W	4000K	230lm	14°	Ø30 x 300	56900201	56900801
2.3W	3000K	230lm	28°	Ø30 x 300	56900301	56900901
2.3W	4000K	230lm	28°	Ø30 x 300	56900401	56901001
2.3W	3000K	230lm	44°	Ø30 x 300	56900501	56901101
2.3W	4000K	230lm	44°	Ø30 x 300	56900601	56901201



COLUMBIA

TARANTO

MATERIALS

Body	Aluminium
Finish	Black / White / Grey
Dimensions	Ø460mm x 350mm, 2.37Kg
Lamp holder	E27 Max 60W

MATERIALS

Body	Aluminium
Finish	Red / Black / White / Grey
Dimensions	Ø320mm x 250mm, 2Kg
Lamp holder	E27 Max 60W

FINISH	Ø460MM
Black	55002300
Grey	55002400
White	55002500

FINISH	Ø460MM
Black	55003900
Grey	55004000
White	55003800
Red	55004100



Ø420 x 190



Ø100 x 300



Ø200 x 250



Ø250 x 270



Ø180 x 280

MORITZ

MATERIALS

Frame	Aluminium
Finish	Chrome
Ceiling rose	100mm cup
Dimensions	Ø250mm x 270mm, 0.93Kg
Lamp holder	E27 Max 60W

FINISH	Ø250MM	Ø420MM
Chrome	55013000	55013100

CARTAGENA

MATERIALS

Body	Glass
Finish	Smoky mirror effect
Cable suspension	1200mm
Ceiling rose	100mm
Dimensions	Ø100 x 300, 1kg
Lamp holder	E27 Max 40W

DIMENSIONS

Ø100 x 300	55013200
Ø200 x 250	55013300
Ø180 x 280	55013400